



OIL REPORT

LAB NUMBER: ██████████ UNIT ID: 23 CIVIC TYPE R
 REPORT DATE: 6/17/2025 CLIENT ID: ██████████
 CODE: 44/1,193 PAYMENT: CC: Visa

UNIT	MAKE/MODEL: Honda 2.0L (K20) Turbo 4 cyl	OIL TYPE & GRADE: Mobil 1 ESP 0W/30
	FUEL TYPE: Gasoline (Unleaded)	OIL USE INTERVAL: 1,500 Miles
	ADDITIONAL INFO: Track Use	

CLIENT	PHONE: ██████████
	FAX: ██████████
	ALT PHONE: ██████████
	EMAIL: ██████████

COMMENTS MATT: Thanks for noting track and street use. Your Civic Type R is handling everything really well based on these results. Metals are in good shape after 1,500 miles on the oil. Universal averages show typical wear for this type of Honda engine after about 5,300 miles on the oil. These wear levels show all is well with internal parts, and that means your engine is starting trends on the right foot. The only mark is for a low flashpoint, which shows a harmless trace of fuel. Small amounts of fuel are from normal use like idling or short trips, not a problem. Excellent first report!

ELEMENTS IN PARTS PER MILLION	MI/HR on Oil	1,500	UNIT / LOCATION AVERAGES					UNIVERSAL AVERAGES
	MI/HR on Unit							
	Sample Date	5/14/2025						
	Make Up Oil Added	0 qts						
ALUMINUM	6	6					7	
CHROMIUM	0	0					0	
IRON	5	5					10	
COPPER	1	1					2	
LEAD	1	1					0	
TIN	0	0					0	
MOLYBDENUM	58	58					143	
NICKEL	0	0					0	
MANGANESE	0	0					1	
SILVER	0	0					0	
TITANIUM	0	0					2	
POTASSIUM	0	0					2	
BORON	196	196					74	
SILICON	10	10					19	
SODIUM	3	3					6	
CALCIUM	1456	1456					1144	
MAGNESIUM	14	14					602	
PHOSPHORUS	618	618					654	
ZINC	760	760					737	
BARIUM	0	0					0	

Values Should Be*

PROPERTIES	SUS Viscosity @ 210°F	57.4	57-67				
	cSt Viscosity @ 100°C	9.48	9.4-12.4				
	Flashpoint in °F	385	>385				
	Fuel %	TR	<2.0				
	Antifreeze %	0.0	0.0				
	Water %	0.0	0.0				
	Insolubles %	0.1	<0.6				
	TBN						
	TAN						
	ISO Code						

* THIS COLUMN APPLIES ONLY TO THE CURRENT SAMPLE

416 E. PETTIT AVE. FORT WAYNE, IN 46806 (260) 744-2380 www.blackstone-labs.com